



Nouvelle Thalassa 2016

Nous sommes devant d'une des hottes aspirantes les plus efficaces sur le marché. Ceci est corroboré par son label A+. Ceci est possible grâce à des différents éléments comme le moteur "Brushless" avancé et exclusif ou l'éclairage LED d'intensité réglable. La technologie "Brushless" élimine le besoin de balais en graphite traditionnels, de manière que non seulement réduit la consommation d'énergie (jusqu'à 84%), mais évite des frôlements, prolonge la durée de vie du moteur, étant l'un des plus silencieux sur le marché et avec une plus grande capacité d'extraction.

Être efficace ne doit pas signifier moins d'énergie. CATA et sa hotte Thalassa le démontrent avec une puissance d'extraction jusqu'à 780 m³/h, avec un total de 10 niveaux d'extraction sélectionnables (9 + 1 TURBO) en fonction de chaque moment et à chaque besoin. Et tout est contrôlé grâce à son panneau de commande tactile avan-

cé qui facilite le maniement de l'appareil.

Avec un design moderne, la hotte Thalassa est disponible en quatre mensurations (largeurs de 600, 700, 900 ou 1200 mm en fonction du verre) et en trois teintes de verre (blanc, noir et sable), adaptant ainsi aux dimensions et chromatisme de chaque cuisine. Et l'aspect pratique et la facilité d'utilisation et d'installation est présente dans tous les produits de la gamme CATA. Un exemple est son filtre anti-condensation spécial, la possibilité de programmer l'arrêt de la hotte ou l'alerte de nettoyage des filtres. Certains filtres qui peuvent par ailleurs être lavés dans le lave-vaisselle. En outre, l'éclairage LED (réglable à partir du panneau de commande) permet d'utiliser l'éclairage de la hotte lors de la cuisson ou bien comme source d'éclairage ambiante lorsque nous ne cuisinons.

cata & Can Rocca ISLANDS



ISLA ZINNIA p22



ISLA MELINA BK p23



ISLA MELINA WH p23



ISLA MELINA SD p23

DECORATIVE ISLANDS



ISLA MAGRABA p24



ISLA MOON p24



ISLA FARO X p25



ISLA FARO p25



ISLA FENIX 1000 X p25



ISLA FENIX 1000 WH p25




ISLA THALASSA p26



ISLA SELENE p26



ISLA SYGMA p27



ISLA GAMMA p27



SILENT SPLIT TECHNOLOGY



ISLA C GLASS p28

CORNER HOODS



ANGOLO BOX p28



ISLA MELINA BK SILENT SPLIT p32



ISLA MELINA WH SILENT SPLIT p32



ISLA SELENE SILENT SPLIT p32



THALASSA BK SILENT SPLIT p33



THALASSA WH SILENT SPLIT p33



SYGMA SILENT SPLIT p33

cata & Can Rocca DECORATIVE HOODS



AURA BK p36




AURA WH p36



AURA SD p36



DALIA BK p37



DALIA WH p37



ZINNIA p38

DECORATIVE HOODS



SELENE p40



THALASSA BK p42



THALASSA WH p42




THALASSA SD p42



ATENEA WH p43



ATENEA BK p43



PODIUM BK p43



PODIUM WH p43



BIBLOS TC BK p44



BIBLOS BK p44



TANGO 45



PLANET p45



ADARI BK p46



ADARI WH p46



CERES BK p46



CERES WH p46



CERES SD p46



VENERE p47



GAMMA p47



CHORUS XWH p48



CHORUS XBK p48



CHORUS XG p48



C GLASS H BK p49



C GLASS H p49



C GLASS p50



ANTARES p50



ANTARES ABK p50



S PLUS p51




S p51



MIDAS BK p52



MIDAS WH p52



SYGMA p52



SYGMA BK p53

DECORATIVE HOODS



BETA p53



SN p54



CN p54



V PLUS p55



OMEGA p55



OMEGA WH p55



OMEGA BK p55



V p56



V WH p56



V BK p56



VN p56



CLASSICA BK p57



CLASSICA WH p57



Q p57



Q BK p57



NEBLIA p58



NEBLIA BK p58



NEBLIA WH p58



NEBLIA IVORY p58

INSERTS



GC DUAL WH p60



GC DUAL BK p60



GL p62



GT PLUS p62



G45 X p63



G45 WH p63



GTS p63

TELESCOPIC



TF 6000 DURALUM p64



TF 3600 BK p65



TF 3600 WH p65



TF 2003 GWH p65



TF 2003 GBK p65



TF 2003 GSD p65



TF 5250 GWH p66



TF 5250 GBK p66



TF p67



TF BK p67



TF WH p67



TF 2003 DURALUM p68

CONVENTIONAL



S GLASS TC p68



F p69



F WH p69



F90 p70



P_1 motor p70



P_2 motors p71



P 30E SV p71



P 30E WH p71







ISLAND HOODS

CATA has a wide range of **island hoods** that adapt perfectly to your kitchen design. The wide model variety available, in terms of measurements, shape and finish, will allow you to find the best solution to meet your needs.

HOTTES ÎLOTS

CATA dispose d'une vaste gamme de **Hottes îlots** qui s'adaptent parfaitement au design de votre cuisine. Grâce à la grande variété de modèles disponibles, tant au niveau des mesures, des formes ou des finitions, vous pourrez trouver la meilleure solution s'adaptant à vos besoins.

★ ★ ★
BEST
 restaurant
 IN THE WORLD
 2013 y 2015



Shielded panel

ISLA ZINNIA




ZINNIA ISLAND

Code **02197410**

EAN Code **8422248059312**

- **Touch Control Panel with automatic timer and cleaning filters indicator**
- **10 extraction levels, 9 + 1 TURBO**
- Maximum air flow: **1110m³/h**
- **Extra silent mode:** minimum sound power **39 dB(A)** and maximum 61,3 dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **100W**
- **High efficiency Led lighting, adjustable intensity**
- Easy-to-install system
- Large suction surface
- MAX panelled stainless steel filters dishwasher washable
- Finished in **black glass** and stainless steel and inner panel for easy cleaning
- Robust installation and adjustable height
- **Shielded panel**
- Max. Pressure: 375 Pa
- 150/125 mm outlet diameter



★ ★ ★
BEST
 restaurant
 IN THE WORLD
 2013 y 2015



ISLA MELINA



MELINA BK ISLAND

Code **02119410**

EAN Code **8422248054607**

MELINA WH ISLAND

Code **02119010**

EAN Code **8422248054591**




MELINA SD ISLAND

Code **02119600**

EAN Code **8422248059336**

- **Touch Control Panel with automatic timer and cleaning filters indicator**
- **10 extraction levels, 9 + 1 TURBO**
- Maximum air flow: **1110m³/h**
- **Extra silent mode:** minimum sound power **37 dB(A)** and maximum 59,3 dB(A)
- **BRUSHLESS** motor. Ultra silent. Maximum energy consumption **100W**
- **High efficiency Led lighting, adjustable intensity**
- Easy-to-install system
- Perimeter aspiration system
- Finished in **black glass** and stainless steel and inner panel for easy cleaning
- Robust installation and adjustable height
- Max. Pressure: 375 Pa
- 150/125 mm outlet diameter





ISLA MAGRABA



MAGRABA ISLAND

Code **02119207**

EAN Code **8422248069342**

AVAILABLE SEPTEMBER 2016

- **Electronic control** panel with automatic shut-down timer
- 3 extraction levels
- **Maximum air flow: 1115m³/h**
- Minimum sound power: **48dB(A)**, maximum: 63dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **200W**
- **High efficiency LED lighting**
- Easy-to-install system
- **Recirculation operation**
- **Dishwasher-washable active charcoal filters**
- Finished Stainless steel and white
- Max. Pressure: 400 Pa
- 150/125 mm outlet diameter

ISLA MOON





MOON ISLAND

Code **02119203**

EAN Code **8422248062084**

- **Touch control panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- **Maximum air flow: 1115m³/h**
- Minimum sound power: **48dB(A)**, maximum: 63dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **200W**
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- **Recirculation operation**
- **Dishwasher-washable active charcoal filters**
- Finished Stainless steel and white glass
- Max. Pressure 400 Pa





ISLA FARO X ISLA FARO



FARO X ISLAND

Code **02119301**

EAN Code **8422248069366**




FARO ISLAND

Code **02119308**

EAN Code **8422248062107**

- **Electronic control panel** with automatic shut-down timer
- 3 extraction levels, 2 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **48dB(A)**, maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel (FARO X ISLAND)
- Finished Stainless steel and glass (FARO ISLAND)
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter



ISLA FENIX 1000 X/WH



FENIX 1000 X ISLAND

Code **02111303**


EAN Code **8422248068239**

FENIX 1000 XGWH ISLAND

Code **02111000**

EAN Code **8422248063036**

- **Touch control panel** with automatic shut-down timer and cleaning filters indicator + **remote control**
- 3 extraction levels
- Maximum air flow: **1115m³/h**
- Minimum sound power: **48dB(A)**, maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **200W**
- **High efficiency LED lighting, adjustable intensity**
- Finished Stainless steel or white glass
- Max. Pressure: 400 Pa
- 150mm outlet diameter
- **Ceiling installation**





ISLA THALASSA




THALASSA ISLAND

Code **02199401**

EAN Code **8422248062114**

- **Touch Control Panel** with timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Adjustable intensity Halogen lighting**
- Perimeter aspiration system
- Easy-to-install system
- Dishwasher-washable filters
- Finished **Black glass** and stainless steel
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter



ISLA SELENE




SELENE ISLAND

Code **02097301**

EAN Code **8422248054874**

- **Touch Control Panel** with timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Adjustable intensity Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished **Stainless steel** and mirror glass and **back light logo**
- Max. Pressure: 455 Pa
- 150/125 mm outlet diameter





ISLA SYGMA



SYGMA 1200 ISLAND

Code **02198006**


EAN Code **8422248048651**

SYGMA 900 ISLAND

Code **02197313**

EAN Code **8422248048644**

- **Electronic control panel** with automatic shut down timer
- 3 extraction levels, **2 + 1 TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **High efficiency LED lighting** (model 900)
- Halogen lighting (modelo 1200)
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter



ISLA GAMMA




GAMMA ISLAND

Code **02025201**

EAN Code **8422248048101**

- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **56dB(A)**, maximum: 70dB(A)
- M3R motor. Extra silent. Maximum energy consumption **240W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel and glass
- Max. Pressure: 430 Pa
- 150/125 mm outlet diameter





ISLA C GLASS




C 900 GLASS ISLAND

Code **02025200**

EAN Code **8422248028837**

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **1115m³/h**
- Minimum sound power: **56dB(A)**, maximum: 70dB(A)
- M3R motor. Extra silent. Maximum energy consumption **270W**
- **Halogen Lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel and glass
- Max. Pressure 430 Pa
- 150/125 mm outlet diameter



ANGOLO BOX




ANGOLO BOX

Code **02195307**

EAN Code **8422248062145**

- **Electronic control panel** with automatic shut down timer
- 3 extraction levels, 2 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Stainless steel finishing
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter



SILENT SPLIT TECHNOLOGY





At **CATA** we have created the quietest hoods on the market using a system of remote extraction where the motor is located either in the ceiling or in a false ceiling instead of being inside the hood. This reduces noise because the motor is outside the room.



Easy to install

Both the ceiling motor (exterior silent split) system and the false ceiling motor (in-line silent split) system have been designed to be easy to install, even in existing homes with minimal modifications to the established conditions.



Cable or wireless connection

The operation and control of the hood are no different to those of a standard hood. Each of the extraction functions is activated from the hood and it communicates with the motor by cable or using a wireless system with a maximum range of 25 meters.

In-line silent split is the completely silent solution with which the hood is installed, without its motor in the cooking area. This extracts smell and smoke from the kitchen while the hood motor is installed behind a false ceiling. The outside motor installation does not mean a loss of flow, reaching extraction levels of 910m³/h.





Chez **CATA**, nous avons créé les hottes les plus silencieuses du marché avec le système d'extraction distant, où le moteur est installé sur le toit du logement ou dans le faux plafond, plutôt que dans la hotte. Le bruit est ainsi réduit étant donné que le moteur se trouve en dehors de la pièce.

Installation Facile

Qu'il s'agisse des systèmes où le moteur est installé sur le toit (modèles Silent Split Exterior) ou des systèmes avec installation dans le faux plafond (Silent Split In-line), il ont tous été conçus pour que leur installation soit simple, même dans des logements déjà achevés, en modifiant au minimum les conditions existantes.

Exterior silent split is the absolute silent solution with the hood installed, without its motor in the cooking area. It extracts smell and smoke from the kitchen, while the motor is installed in a flue in the ceiling. The outside motor installation reaches high extraction levels of 910m³/h.



The installation of the hood and the motor, and connection between the two of them, is really easy. As can be seen in the pictures, the motor is installed in the flue in 4 simple steps.



Connexion par câble ou sans fil

Le fonctionnement et le contrôle de la hotte ne supposent aucun changement par rapport à une hotte standard. Toutes les fonctions d'extraction sont activées depuis la hotte et la communication avec le moteur est effectuée par câble ou par fréquence radio, avec une portée maximale de 25 mètres.

Silent Split in-line est la solution totalement silencieuse avec laquelle la hotte sans moteur est installée dans la zone de cuisson. Cette dernière extrait les odeurs et la fumée de la cuisine, alors que le moteur de la hotte est installé dans le faux plafond. L'installation du moteur à l'extérieur n'entraîne pas de perte de débit, et atteint

des niveaux d'extraction de 910m³/h.

Silent Split extérieur est la solution totalement silencieuse où la hotte sans moteur est installée dans la zone de cuisson. Elle extrait les odeurs et la fumée de la cuisine, alors que le chapeau incluant le moteur se trouve dans une cheminée sur le toit du logement. L'installation du moteur à l'extérieur n'entraîne pas de perte de débit, et atteint des niveaux d'extraction de 910m³/h.

L'installation de la hotte et du moteur ainsi que la communication entre les deux éléments est vraiment simple. Comme vous pouvez voir sur les images, le moteur est installé dans la conduite d'extraction en 4 étapes simples.



ISLA MELINA SILENT SPLIT



MELINA BK ISLAND, SILENT SPLIT IN-LINE

Code **02119409**

EAN Code **8422248054744**



MELINA BK ISLAND, SILENT SPLIT EXTERIOR

Code **02119408**

EAN Code **8422248054751**



MELINA WH ISLAND, SILENT SPLIT IN-LINE

Code **02119009**

EAN Code **8422248054720**




MELINA WH ISLAND, SILENT SPLIT EXTERIOR

Code **02119008**

EAN Code **8422248054737**



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **910m³/h**
- Minimum sound power: **35dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction motor**, Extra silent motor. Maximum energy consumption 85W
- **High efficiency Led lighting, adjustable intensity**
- **Radio frequency wire connection option**
- Dishwasher-washable filters
- Finished in black/white glass
- Max. Pressure 225 Pa
- 150/200 mm outlet diameter



ISLA SELENE SILENT SPLIT



SELENE ISLAND, SILENT SPLIT IN-LINE

Code **02197009**

EAN Code **8422248054775**




SELENE ISLAND, SILENT SPLIT EXTERIOR

Code **02197008**

EAN Code **8422248054768**



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **910m³/h**
- Minimum sound power: **35dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction motor**, Extra silent motor. Maximum energy consumption 85W
- **High efficiency Led lighting, adjustable intensity**
- **Radio frequency wire connection option**
- Dishwasher-washable filters
- Finished in stainless steel and black glass
- Max. Pressure 225 Pa
- 150/200 mm outlet diameter





THALASSA SILENT SPLIT



THALASSA 900 BK, SILENT SPLIT IN-LINE

Code **02159409**

EAN Code **8422248054713**



THALASSA 600 BK, SILENT SPLIT EXTERIOR

Code **02127409**

EAN Code **8422248057431**



THALASSA BK, SILENT SPLIT EXTERIOR

Code **02159410**

EAN Code **8422248054690**



THALASSA WH, SILENT SPLIT IN-LINE

Code **02159009**

EAN Code **8422248054706**




THALASSA WH, SILENT SPLIT EXTERIOR

Code **02159010**

EAN Code **8422248054683**



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **910m³/h**
- Minimum sound power: **35dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction motor.** Extra silent motor. Maximum energy consumption **85W**
- **High efficiency Led lighting, adjustable intensity**
- **Radio frequency wire connection option**
- Dishwasher-washable filters
- Finished in black glass
- **Black/white tubes accessory option**
- Max. Pressure 225 Pa
- 150/200 mm outlet diameter



SYGMA SILENT SPLIT



SYGMA, SILENT SPLIT IN-LINE

Code **02175010**

EAN Code **8422248054676**




SYGMA, SILENT SPLIT EXTERIOR

Code **02175310**

EAN Code **8422248043878**



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **910m³/h**
- Minimum sound power: **35dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction motor.** Extra silent motor. Maximum energy consumption 85W
- **High efficiency Led lighting, adjustable intensity**
- **Radio frequency wire connection option**
- Dishwasher-washable filters
- Finished in stainless steel DurAlum fingerprint free
- Max. Pressure 225 Pa
- 150/200 mm outlet diameter







DECORATIVE HOODS

In the wide range of decorative **CATA** hoods you will find different models with the most painstaking designs and best performance on the market. We are convinced users will be able to find the best suited hood to their needs in terms of design, performance and esthetics. We offer you everything necessary to make your hood an item with an excellent presence in your kitchen.

HOTTES DÉCORATIVES

Dans la vaste gamme de hottes décoratives **CATA**, vous trouverez des modèles variés avec les formes les plus soignées et les meilleures prestations du marché. Nous sommes persuadés que tous les utilisateurs pourront trouver la hotte s'adaptant le mieux à leurs besoins aussi bien en termes de conception, de rendement que d'esthétique. Nous vous offrons tout ce dont vous avez besoin pour que votre hotte soit un élément avec beaucoup de présence dans votre cuisine.

★ ★ ★
BEST
 restaurant
 IN THE WORLD
 2013 y 2015



Opening Positions



Auxiliary filter anti-condensation direct suction



AURA



AURA BK 900

Code **02159203**

EAN Code **8422248059282**

AURA BK 800

Code **02145200**

EAN Code **8422248059275**

AURA WH 900

Code **02159205**


EAN Code **8422248059299**

AURA SD 900

Code **02159601**

EAN Code **8422248059305**

- **Touch Control Panel with automatic shut-down timer and cleaning filters indicator**
- **10 extraction levels, 9 + 1 TURBO**
- Maximum air flow: **1110m³/h**
- **Extra silent mode:** minimum sound power **39 dB(A)** and maximum **61,3 dB(A)**
- BRUSHLESS motor. Ultra silent, Maximum energy consumption **100W**
- **High efficiency Led lighting, adjustable intensity**
- Perimeter aspiration system, **Non-condensation filter** at bottom
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **black, white and colour sand glass** and stainless steel and inner panel for easy cleaning
- Front panel with **3 opening systems**
- **Shielded panel**
- Max. Pressure: 375 Pa
- 150/125 mm outlet diameter



Accessories

Black decorative tube - Code 02861401

White decorative tube - Code 02861001

★ ★ ★
BEST
 restaurant
 IN THE WORLD
 2013 y 2015



DALIA



DALIA BK

Code **02178509**


EAN Code **8422248054560**

DALIA WH

Code **02178109**

EAN Code **8422248054577**

- **Touch Control Panel with automatic shut-down timer and cleaning filters indicator**
- **10 extraction levels, 9 + 1 TURBO**
- Maximum air flow: **1110m³/h**
- **Extra silent mode:** minimum sound power **39 dB(A)** and maximum 61,3 dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **100W**
- **High efficiency Led lighting, adjustable intensity**
- Large suction surface
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **black and white glass** and stainless steel and inner panel for easy cleaning
- Max. Pressure: 375 Pa
- 150/125 mm outlet diameter



Accessories

Black decorative tube - Code 02861401

White decorative tube - Code 02861001

★ ★ ★
BEST
 restaurant
 IN THE WORLD
 2013 y 2015



Shielded panel

ZINNIA




ZINNIA

Code **02175410**

EAN Code **8422248051507**

- **Touch Control Panel with automatic shut-down timer and cleaning filters indicator**
- **10 extraction levels, 9 + 1 TURBO**
- Maximum air flow: **1110m³/h**
- **Extra silent mode:** minimum sound power **39 dB(A)** and maximum 61,3 dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **100W**
- **High efficiency Led lighting, adjustable intensity**
- Large suction surface
- **Shielded panel**
- Easy-to-install system
- MAX panelled stainless steel filters dishwasher washable
- Finished in **black glass** and stainless steel and inner panel for easy cleaning
- Max. Pressure: 375 Pa
- 150/125 mm outlet diameter



cata & can Roca



DECORATIVES



SELENE



SELENE 900

Code **02029200**

EAN Code **8422248048095**

SELENE 700

Code **02021200**


EAN Code **8422248064941**

SELENE 600

Code **02060201**

EAN Code **8422248049603**


- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel and mirror glass and backlight logo
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter







THALASSA BK



THALASSA 900XGBK

Code **02159400** - EAN Code **8422248069205**

THALASSA 700XGBK

Code **02178203** - EAN Code **8422248069243**


THALASSA 600XGBK

Code **02127206** - EAN Code **8422248069564**

THALASSA 1200XGBK

Code **02157402** - EAN Code **8422248069540**

- Touch Control Panel with automatic shut-down timer and cleaning filters indicator
- 10 extraction levels, 9 + 1 TURBO
- Maximum air flow: 1110m³/h
- 1st speed silent mode
- Minimum sound power 39 dB(A), maximum 61,3 dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 100W
- High efficiency Led lighting, adjustable intensity
- Easy-to-install system
- Non-condensation filter
- Dishwasher-washable filters
- Finished in black glass
- Black tubes accessory option
- Max. Pressure: 375 Pa
- Front panel with opening for intensive use
- 150/125 mm outlet diameter



THALASSA



THALASSA 900XGWH

Code **02159002** - EAN Code **8422248069229**

THALASSA 700XGWH

Code **02178003** - EAN Code **8422248069236**


THALASSA 600XGWH

Code **02127008** - EAN Code **8422248069557**

THALASSA 900XGSD - SAND COLOR

Code **02159603** - EAN Code **8422248069212**

- Touch Control Panel with timer and cleaning filters indicator
- 10 extraction levels, 9 + 1 TURBO
- Maximum air flow: 1110m³/h
- 1st speed silent mode
- Minimum sound power 39 dB(A), maximum 61,3 dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption 100W
- High efficiency Led lighting, adjustable intensity
- Easy-to-install system
- Non-condensation filter
- Dishwasher-washable filters
- Finished in white and sand color glass
- Black/white tubes accessory option
- Max. Pressure: 375 Pa
- Front panel with opening for intensive use
- 150/125 mm outlet diameter





ATENEA



ATENEA 900XGWH

Code **02059002** - EAN Code **8422248066839**

ATENEA 700XGWH

Code **02078001** - EAN Code **8422248066846**

ATENEA 600XGWH

Code **02027100** - EAN Code **8422248068338**

ATENEA 900XGBK

Code **02059203** - EAN Code **8422248068321**


ATENEA 700XGBK

Code **02078201** - EAN Code **8422248066822**

ATENEA 600XGBK

Code **02027500** - EAN Code **8422248066815**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Ultra silent. Maximum energy consumption **240W**
- **High efficiency Led lighting, adjustable intensity**
- **Special non-condensation filter**
- Easy-to-install system
- Dishwasher-washable filters
- Finished white and black glass
- Max. Pressure: 405 Pa
- 150/125 mm Outlet diameter



PODIUM



PODIUM 600XGBK

Code **02027406** - EAN Code **8422248054867**

PODIUM 500XGBK

Code **02027405** - EAN Code **8422248054850**

PODIUM 600ABK

Code **02027507** - EAN Code **8422248063111**

PODIUM 600XGWH

Code **02027006** - EAN Code **8422248054843**


PODIUM 500XGWH

Code **02027005** - EAN Code **8422248054836**

PODIUM 600AWH

Code **02027109** - EAN Code **8422248063104**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1000m³/h**
- Minimum sound power: **53dB(A)**, maximum: 63dB(A)
- TN motor. Maximum energy consumption **140W**
- Extra silent motor
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **black glass**
- Max. pressure 200 Pa
- 150/125 mm outlet diameter





BIBLOS TC BK



BIBLOS TC 900 XGBK

Code **02169401**


EAN Code **8422248070423**

BIBLOS TC 600 XGBK

Code **02166401**

EAN Code **8422248070430**

- **Touch Control Panel ECO TC with automatic shut-down timer**
- 3 extraction levels
- Maximum air flow: **1115m³/h**
- Minimum sound level: **50dB(A)**, maximum: 65dB(A)
- BT2 motor. Extra silent.
Maximum energy consumption **200W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Black glass
- Max. Pressure: 400 Pa
- 150/125 mm outlet diameter



BIBLOS BK



BIBLOS BK 900 XGBK

Code **02169402**


EAN Code **8422248070447**

BIBLOS BK 600 XGBK

Code **02166402**

EAN Code **8422248070454**

- **Mechanic control panel**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound level: **50dB(A)**, maximum: 62dB(A)
- K7+ motor. Extra silent.
Maximum energy consumption **95W**
- **Halogen lighting E14**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Black glass
- Max. Pressure: 200 Pa
- 150/125 mm outlet diameter





TANGO




TANGO 600 XGBK

Code **02032200**

EAN Code **8422248064675**

- **Mechanic control panel**
- 3 extraction levels
- Maximum air flow: **1000m³/h**
- Minimum sound power: **53dB(A)**, maximum: 63dB(A)
- TN motor, Extra silent motor, Maximum energy consumption **140W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in black glass and stainless steel
- Max. pressure 200 Pa
- 150/125 mm outlet diameter



PLANET BK




PLANET 600XGBK

Code **02027201**

EAN Code **8422248058797**

- **Touch control panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1000m³/h**
- Minimum sound power: **53dB(A)**, maximum: 63dB(A)
- TN motor, Extra silent motor, Maximum energy consumption **140W**
- Extra silent motor
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in black glass
- Max. pressure 200 Pa
- 150/125 mm outlet diameter





ADARI



ADARI 600XGBK

Code **02027207**


EAN Code **8422248058162**

ADARI 600XGWH

Code **02027007**

EAN Code **8422248058179**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1000m³/h**
- Minimum sound power: **53dB(A)**, maximum: 63dB(A)
- TN motor. Extra silent. Maximum energy consumption **140W**
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in white or black glass
- Max. pressure 200 Pa
- 150/125 mm outlet diameter



CERES



CERES 900XGWH

Code **02059000** - EAN Code **8422248052047**

CERES 600XGWH

Code **02027003** - EAN Code **8422248052030**

CERES 600 AWH

Code **02027008** - EAN Code **8422248059800**

CERES 600 SD - COLOR SAND

Code **02027600** - EAN Code **8422248058780**

CERES 900XGBK

Code **02059200** - EAN Code **8422248051644**

CERES 600XGBK

Code **02027200** - EAN Code **8422248051620**

CERES 600 ABK

Code **02027202** - EAN Code **8422248059145**


CERES 600 P BK

Code **02027205** - EAN Code **8422248059794**

CERES 600 B ABK

Code **02027203** - EAN Code **8422248059787**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- **Mechanical Control Panel** (Model CERES P BK)
- 3 extraction levels
- Maximum air flow: **1000m³/h**
- Minimum sound power: **53dB(A)**, maximum: 63dB(A)
- TN motor. Extra silent. Maximum energy consumption **140W**
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in white/black/sand glass
- Finished in bevelled glass (CERES 600 B ABK)
- Finished in stainless steel and black/white tube
- Max. pressure 200 Pa
- 150/125 mm outlet diameter





VENERE



VENERE 900XGBK

Code **02090206**

EAN Code **8422248059633**

VENERE 600XGBK

Code **02095206**

EAN Code **8422248059619**

- **Electronic control panel** with automatic shut-down timer
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50 dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel and black glass
- Max. pressure 405 Pa
- 150/125 mm outlet diameter

GAMMA



GAMMA 900

Code **02008208**

EAN Code **8422248048293**

GAMMA 700

Code **02006203**



EAN Code **8422248048330**

GAMMA 600

Code **02005205**

EAN Code **8422248049412**

- **Electronic control Panel** with automatic shut-down timer
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel and glass
- Max. Pressure: 400 Pa
- 150/125 mm outlet diameter





CHORUS XWH / XBK N



CHORUS XWH

Code **02165000**

EAN Code **8422248070317**

CHORUS XBK


Code **02165201**

EAN Code **8422248055529**

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **50dB(A)**, maximum: 62dB(A)
- Motor K7 PLUS, Extra silent, Maximum energy consumption **95W**
- **Halogen Lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure 200 Pa
- 150/125 mm outlet diameter

MICROWAVE FEATURES

- 20 litre microwave
- Simultaneous 1,000 W quartz grill
- Five power levels, 700 W output
- Revolving dish ø 255 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 9 automatic access menus
- Fast start button
- Safety lock
- Finished in Black and white glass
- 60cm wide
- Inner measurements 182 x 315 x 280 mm (high x wide x deep)



CHORUS GX N



CHORUS XGX

Code **02165202**


EAN Code **8422248070492**

AVAILABLE **AUGUST 2016**

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **50dB(A)**, maximum: 62dB(A)
- Motor K7 PLUS, Extra silent, Maximum energy consumption **95W**
- **Halogen Lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure 200 Pa
- 150/125 mm outlet diameter

MICROWAVE FEATURES

- 20 litre microwave
- Simultaneous 1,000 W quartz grill
- Five power levels, 700 W output
- Revolving dish ø 255 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 9 automatic access menus
- Fast start button
- Safety lock
- Finished in Mirror effect
- 60cm wide
- Inner measurements 182 x 315 x 280 mm (high x wide x deep)





C GLASS H BK



C GLASS H BLACK 900

Code **02008401**

EAN Code **8422248020534**

C GLASS H BLACK 600

Code **02005401**

EAN Code **8422248020473**

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **56dB(A)**, maximum: 70dB(A)
- M3R motor, Extra silent, Maximum energy consumption **270W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in black and glass
- Max. pressure 430 Pa
- 150/125 mm outlet diameter

C GLASS H



C GLASS H 900

Code **02008201**



EAN Code **8422248020541**

C GLASS H 600

Code **02005201**

EAN Code **8422248020480**

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **56dB(A)**, maximum: 70dB(A)
- M3R motor, Extra silent, Maximum energy consumption **270W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel and glass
- Max. pressure 430 Pa
- 150/125 mm outlet diameter





C GLASS



C GLASS 900

Code **02008206** - EAN Code **8422248048132**

C GLASS 700

Code **02006206** - EAN Code **8422248048125**

C GLASS 600

Code **02005208** - EAN Code **8422248054072**

C GLASS 500

Code **02006208** - EAN Code **8422248054089**

C GLASS 500 BK

Code **02006408** - EAN Code **8422248055543**

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **50dB(A)**, maximum: 62dB(A)
- Motor K7 PLUS. Extra silent. Maximum energy consumption **95W**
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel, black and glass
- Max. Pressure 200 Pa
- 150/125 mm Outlet diameter

ANTARES



ANTARES 900 XBK

Code **02059202**

EAN Code **8422248063180**

ANTARES 600 XBK

Code **02005403**



EAN Code **8422248063135**

ANTARES 600 ABK

Code **02005402**

EAN Code **8422248063128**

- **Touch Control Panel** with a automatic shut-down timer
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **50dB(A)**, maximum: 62dB(A)
- Motor K7 PLUS. Extra silent. Maximum energy consumption **95W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in black glass and stainless steel or full black
- Max. Pressure 200 Pa
- 150/125 mm Outlet diameter





S PLUS



S PLUS 900 X

Code **02029303**

EAN Code **8422248068062**

S PLUS 700 X

Code **02021305**


EAN Code **8422248068116**

S PLUS 600 X

Code **02060306**

EAN Code **8422248068123**

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **56dB(A)**, maximum: 70dB(A)
- Motor M3R. Extra silent. Maximum energy consumption **270W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure 430 Pa
- 150/125 mm Outlet diameter



S



S 900

Code **02029302**

EAN Code **8422248048170**

S 700

Code **02021302**


EAN Code **8422248048187**

S 600

Code **02060302**

EAN Code **8422248048194**

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **50dB(A)**, maximum: 62dB(A)
- Motor K7 PLUS. Extra silent. Maximum energy consumption **95W**
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure 200 Pa
- 150/125 mm Outlet diameter





MIDAS



MIDAS 900 XGBK

Code **02029201**

EAN Code **8422248049535**

MIDAS 700 XGBK

Code **02021201**

EAN Code **8422248065023**

MIDAS 600 XGBK

Code **02060200**

EAN Code **8422248049542**

MIDAS 900 XGWH

Code **02029002**


EAN Code **8422248052016**

MIDAS 600 XGWH

Code **02060001**

EAN Code **8422248052023**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **50dB(A)**, maximum: 62dB(A)
- K 7PLUS motor, maximum energy consumption **95W**
- Extra silent motor
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel and black/white glass
- Max. pressure 200 Pa
- 150/125 mm outlet diameter



SYGMA



SYGMA 1200

Code **02132303**

EAN Code **8422248062282**

SYGMA 900

Code **02075300**

EAN Code **8422248048309**

SYGMA 700

Code **02021301**


EAN Code **8422248048316**

SYGMA 600

Code **02060301**

EAN Code **8422248048323**

- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels, 2 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor, Extra silent, Maximum energy consumption **240W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter





SYGMA BK




SYGMA 900 BK

Code **02075400**

EAN Code **8422248068079**

- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels, 2 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **Black**
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter



BETA



BETA 900

Code **02051302**

EAN Code **8422248048361**

BETA 700

Code **02093302**



EAN Code **8422248048378**

BETA 600

Code **02050303**

EAN Code **8422248048385**

- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **52dB(A)**, maximum: 69dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **Stainless steel**
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter





SN



SN-600

Code **02060303**

EAN Code **8422248054805**

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **370m³/h**
- Minimum sound level: **50dB(A)**, maximum: 62dB(A)
- Motor K7. Extra silent. Maximum energy consumption **80W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel
- Max. pressure 160 Pa
- 125 mm discharge

CN





CN-600 GLASS

Code **02005209**

EAN Code **8422248054829**

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **370m³/h**
- Minimum sound level: **50dB(A)**, maximum: 62dB(A)
- Motor K7. Extra silent. Maximum energy consumption **80W**
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel and glass
- Max. pressure 160 Pa
- 125 mm discharge





V PLUS




V PLUS

Code **02058302**

EAN Code **8422248061810**

- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels, 2 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor, Extra silent, Maximum energy consumption **240W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **Stainless steel**
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter



OMEGA



OMEGA 900

Code **02004302** - EAN Code **8422248061858**

OMEGA 700

Code **02003302** - EAN Code **8422248061865**

OMEGA 600

Code **02002302** - EAN Code **8422248061872**

OMEGA 900 WH

Code **02004002** - EAN Code **8422248061889**

OMEGA 700 WH

Code **02003002** - EAN Code **8422248061896**

OMEGA 600 WH

Code **02002002** - EAN Code **8422248061667**


OMEGA 900 BK

Code **02004402** - EAN Code **8422248061902**

OMEGA 600 BK

Code **02002402** - EAN Code **8422248061919**

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **57'8dB(A)**, maximum: 71'8dB(A)
- Motor M3R, Extra silent, Maximum energy consumption 270W
- **Halogen Lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **Stainless steel, black and white**
- Max. Pressure 430 Pa
- 150/125 mm outlet diameter





VN

V



V 900

Code **02063302** - EAN Code **8422248047173**

V 700

Code **02085302** - EAN Code **8422248047180**

V 600

Code **02061302** - EAN Code **8422248047166**

V 500

Code **02088301** - EAN Code **8422248049290**

V 600 WH

Code **02061002** - EAN Code **8422248048071**

V 500 WH

Code **02088001** - EAN Code **8422248049283**

V 600 BK

Code **02061401** - EAN Code **8422248049429**

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **53dB(A)**, maximum: 65dB(A)
- Motor K7 PLUS. Extra silent, Maximum energy consumption **95W**
- **Halogen Lighting E-14**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel, black and white
- Max. Pressure 200 Pa
- 150/125 mm outlet diameter

VN-900 inox

Code **02063305** - EAN Code **8422248057110**

VN-600 inox

Code **02061305** - EAN Code **8422248054645**



VN-600 WH

Code **02061005** - EAN Code **8422248068383**

VN-500 WH

Code **02088002** - EAN Code **8422248068802**

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **370m³/h**
- Minimum sound power: **54dB(A)**, maximum: 66dB(A)
- K7 motor, Extra silent motor, Maximum energy consumption **80W**
- **Lamp lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 160 Pa
- 125 mm outlet diameter





CLASICA



CLASICA 900 BK

Code **02177405** - EAN Code **8422248031295**

CLASICA 600 BK

Code **02173403** - EAN Code **8422248031301**

CLASICA 900 WH

Code **02177005** - EAN Code **8422248032957**

CLASICA 600 WH

Code **02173002** - EAN Code **8422248052054**

- **Electronic control Panel** with a automatic shut down timer
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **57,8 dB(A)**, maximum: 71,8 dB(A)
- Motor M3R. Extra silent. Maximum energy consumption **240W**
- **Halogen Lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **Black / white**
- Max. Pressure: 430 Pa
- 150/125 mm outlet diameter

Q



Q 900

Code **02149301** - EAN Code **8422248005470**

Q 600

Code **02148301** - EAN Code **8422248005449**



Q 900 BK

Code **02149401** - EAN Code **8422248005487**

Q 600 BK

Code **02148401** - EAN Code **8422248005456**

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **57,8 dB(A)**, maximum: 71,8 dB(A)
- Motor M3R. Extra silent. Maximum energy consumption **240W**
- **Halogen Lighting E-14**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **Stainless Steel / black**
- Max. Pressure: 430 Pa
- 150/125 mm outlet diameter





NEBLIA X



NEBLIA 900 X

Code **02083300** - EAN Code **8422248017664**

NEBLIA 700 X

Code **02079300** - EAN Code **8422248017633**


NEBLIA 600 X

Code **02052300** - EAN Code **8422248017602**

NEBLIA 500 X

Code **02088310** - EAN Code **8422248039024**

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **57,8dB(A)**, maximum: 71,8dB(A)
- M3R motor. Extra silent. Maximum energy consumption **270W**
- **Halogen lighting E-14**
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 430 Pa
- 150/125 mm outlet diameter



NEBLIA



NEBLIA 600 BK

Code **02052400** - EAN Code **8422248017619**

NEBLIA 600 ANTIC BK

Code **02052401** - EAN Code **8422248042109**

NEBLIA 600 WH

Code **02052000** - EAN Code **8422248017596**

NEBLIA 600 ANTIC WH

Code **02052001** - EAN Code **8422248042093**


NEBLIA 500 WH

Code **02088010** - EAN Code **8422248039031**

NEBLIA 600 IVORY

Code **02052803** - EAN Code **8422248059824**

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **57,8dB(A)**, maximum: 71,8dB(A)
- M3R motor. Extra silent. Maximum energy consumption **270W**
- Extra silent motor
- **Halogen lighting E-14**
- Easy installation system
- Dishwasher-washable filters
- Finished in black / white and ivory
- Max. pressure 430 Pa
- 150/125 mm outlet diameter






BUILT-IN HOODS

The ideal hood to install in your kitchen cabinet thanks to its easy installation, high capacity of extraction, with a variety of shapes and finishes of high quality.

HOTTES ENCASTRABLES

La hotte idéale pour installer dans vos armoires de cuisine grâce à sa facilité d'installation, avec une haute capacité d'extraction, avec variété de formes et finitions de haute qualité.





GC DUAL WH



GC DUAL WH 75

Code **02131201**

EAN Code **8422248055680**

GC DUAL WH 45

Code **02130201**

EAN Code **8422248055673**

GC DUAL BK



GC DUAL BK 75

Code **02131200**

EAN Code **8422248054621**



GC DUAL BK 45

Code **02130200**

EAN Code **8422248054614**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- **Perimeter perimeter suction system**
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **White glass** and stainless steel
- Max. Pressure: 455 Pa
- 150/125 mm outlet diameter

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- **Perimeter perimeter suction system**
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **Black glass**
- Max. Pressure: 455 Pa
- 150/125 mm outlet diameter





GL



GL 75 X

Code **02131302**

EAN Code **8422248062381**

GL 45 X

Code **02030303**

EAN Code **8422248061926**

GT PLUS



GT PLUS 45 X

Code **02030301**

EAN Code **8422248054942**

GT PLUS 45 WH

Code **02030001**

EAN Code **8422248054928**



GT PLUS 45 BK


Code **02030401**

EAN Code **8422248054935**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- Extraction power **TURBO: 790m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **High efficiency Led lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 405 Pa
- 150/125 mm Outlet diameter

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **1115m³/h**
- Minimum sound power: **50dB(A)**, maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **200W**
- **Halogen Lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel, white or black
- Max. Pressure: 400 Pa
- 150/125 mm Outlet diameter





G45



G 45 X

Code **02039301**


EAN Code **8422248015349**

G 45 WH

Code **02039001**

EAN Code **8422248015356**

- **Slider Control Panel**
- 2 extraction levels
- Maximum air flow: **600m³/h**
- Minimum sound power: **45,5 dB(A)**, maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **100W**
- **Halogen Lighting E-14**
- Easy-to-install system.
- Dishwasher-washable filters
- Finished in Stainless Steel or white
- Max pressure, 194 Pa
- 120 mm Outlet diameter



GTS



GTS 75 X

Code **02131349**


EAN Code **8422248070256**

GTS 45 X

Code **02130349**

EAN Code **8422248070249**

- **Slider Control Panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum noise level: **56 dB(A)**, maximum: 70dB(A)
- M3R motor. Extra silent. Maximum energy consumption **240W**
- **Halogen Lighting**
- Easy-to-install system.
- Dishwasher-washable filters
- Finished in Stainless Steel
- Max pressure, 405 Pa
- Outlet diameter 150 mm





TF 6000 DURALUM



TF 6600 DURALUM 60

Code **02010202**

EAN Code **8422248061933**

TF 6700 DURALUM

Code **02010206**


EAN Code **8422248064347**

TF 6900 DURALUM

Code **02010205**

EAN Code **8422248063043**

- **Mechanical Control Panel**
- 2 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **High efficiency LED lighting**
- **Easy-to-clean inner panel**
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in Stainless steel fingerprint free DurAlum**
- Max. Pressure: 405 Pa
- 150/125 mm Outlet diameter






TF 3600

**TF 3600 BK**Code **02017402**EAN Code **8422248053938****TF 3600 WH**Code **02017002**EAN Code **8422248053921**


- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **600m³/h**
- Minimum sound power: **66dB(A)**, maximum: 60dB(A)
- 2 motors. Extra silent. Maximum energy consumption **2x125W**
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **Black/white** glass front panel
- Max. pressure 256 Pa
- 120 mm outlet diameter



TF 2003 G

**TF 2003 GWH**Code **02017201**EAN Code **8422248051583****TF 2003 GBK**Code **02017200**EAN Code **8422248048200**

- **Mechanical control panel**
- 2 extraction levels
- Maximum air flow: **600m³/h**
- Minimum sound power: **45,5 dB(A)**, maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **100W**
- **Halogen lighting**
- **Easy-to-clean inner panel**
- Easy installation system
- Dishwasher-washable filters
- **White/black glass front panel**
- Max. pressure 194 Pa
- 120mm outlet diameter





TF GBK/GWH_2motors



TF 5260 GBK, 2 motors x 90W

Code **02034407** - EAN Code **8422248068833**

TF 5260 GWH, 2 motors x 90W

Code **02034007** - EAN Code **8422248068840**

TF 5250 GWH, 2 motors x 125W

Code **02097001** - EAN Code **8422248054881**

TF 5250 GBK, 2 motors x 125W

Code **02097401** - EAN Code **8422248054898**

- **Sliding Control Panel**
- 3 extraction levels
- **2x125W motors**
 - Maximum air flow: **600m³/h**
 - Minimum sound power: **60dB(A)**, maximum: 66dB(A)
 - Maximum energy consumption **2x125W**
 - Max. pressure 256 Pa
- **2x90W motor**
 - Maximum air flow: **600m³/h**
 - Minimum sound power: **59dB(A)**, maximum: 65dB(A)
 - Maximum energy consumption **2x90W**
 - Max. pressure 190 Pa
- **Halogen lighting E-14 (2 lamps)**
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in white/black glass front panel**
- 120mm outlet diameter

TF GBK/GWH_1motor





TF 5060 GWH, 1 motor

Code **02033009** - EAN Code **8422248068857**

TF 5060 GBK, 1 motor

Code **02033403** - EAN Code **8422248068864**

- **Sliding Control Panel**
- 3 extraction levels
- **1x125W motor**
 - Maximum air flow: **350m³/h**
 - Minimum sound power: **51dB(A)**, maximum: 65dB(A)
 - Maximum energy consumption **125W**
 - Max. pressure 140 Pa
- **Halogen lighting E-14 (1 lamp)**
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in white/black glass front panel**
- 120mm outlet diameter





TF_2motors



TF 5260 X, 2x90W motors

Code **02034305** - EAN Code **8422248003377**

TF 5260 WH, 2x90W motors

Code **02034005** - EAN Code **8422248003346**

TF 5260 BK, 2x90W motors

Code **02034405** - EAN Code **8422248003360**

TF 5260 RX, 2x90W motors

Code **02034308** - EAN Code **8422248064354**

TF 5250 X, 2x125W motors

Code **02097300** - EAN Code **8422248024488**

TF 5250 WH, 2x125W motors

Code **02097000** - EAN Code **8422248024471**

TF 5250 RX, 2x125W motors

Code **02097303** - EAN Code **8422248064378**

- **Sliding Control Panel**

- 3 extraction levels

- **2x90W motors**


- Maximum air flow: **600m³/h**
- Minimum sound power: **59dB(A)**, maximum: 65dB(A)
- Maximum energy consumption **2x190W**
- Max. pressure 190 Pa

- **2x125W motors**

- Maximum air flow: **600m³/h**
- Minimum sound power: **60dB(A)**, maximum: 66dB(A)
- Maximum energy consumption **2x125W**
- Max. pressure 256 Pa

- **Halogen lighting E-14 (2 lamps)**

- Easy-to-install system
- Dishwasher-washable filters
- **Finished in black, white or stainless steel**
- 120mm outlet diameter



TF_1motor



TF 5060 X, 1 motor

Code **02033303** - EAN Code **8422248009515**

TF 5060 WH, 1 motor

Code **02033003** - EAN Code **8422248006767**

TF 5060 RX, 1 motor

Code **02033305** - EAN Code **8422248064361**

- **Sliding Control Panel**


- 3 extraction levels

- **1x125W motors**

- Maximum air flow: **350m³/h**
- Minimum sound power: **51dB(A)**, maximum: 65dB(A)
- Maximum energy consumption **2x125W**
- Max. pressure 140 Pa

- **Halogen lighting E-14 (1 lamp)**

- Easy-to-install system
- Dishwasher-washable filters
- **Finished in white or stainless steel**
- 120mm outlet diameter





TF 2003 DURALUM



TF 2003 DURALUM 90

Code **02094303**

EAN Code **8422248052702**

TF 2003 DURALUM 70

Code **02089303**

EAN Code **8422248052696**

TF 2003 DURALUM 60

Code **02017303**

EAN Code **8422248052689**

- **Mechanical control panel**
- 2 extraction levels
- Maximum air flow: **600m³/h**
- Minimum sound power: **45,5 dB(A)**, maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **100W**
- **Halogen lighting**
- **Easy-to-clean inner panel**
- Easy installation system
- Dishwasher-washable filters
- **Stainless steel finishing fingerprint free DurAlum**
- Max. pressure 194 Pa
- 120mm outlet diameter

S GLASS TC





S GLASS TC

Code **02001302**

EAN Code **8422248062046**

- **Touch Control Panel** with automatic shut-down timer
- 3 extraction levels
- Maximum air flow: **380m³/h**
- Minimum sound power: **54dB(A)**, maximum: 60dB(A)
- Tangential Motor. Extra silent. Maximum energy consumption **90W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in White glass**
- Max. Pressure: 179 Pa
- 120 mm outlet diameter





F



F 2260 X, 2 motors
Code **02013305** - EAN Code **8422248049085**

F 2260 BR, 2 motors
Code **02013105** - EAN Code **8422248049269**

F 2060 X, 1 motor
Code **02011306** - EAN Code **8422248048064**

F 2060 BR, 1 motor
Code **02011106** - EAN Code **8422248049252**

F 2050 X, 1 motor
Code **02015305** - EAN Code **8422248049382**

F 2050 BR, 1 motor
Code **02015105** - EAN Code **8422248049375**

- **Mechanical Control Panel**
- 3 extraction levels
- **2 motors**
 - Maximum air flow: **600m³/h**
 - Minimum sound power: **59dB(A)**, maximum: 65dB(A)
 - Maximum energy consumption: **2x90W**
 - Max. Pressure 190 Pa
- **1 motor**
 - Maximum air flow: **380m³/h**
 - Minimum sound power: **54dB(A)**, maximum: 60dB(A)
 - Maximum consumption of: **1x90W**
 - Max. Pressure 179Pa
- **Halogen lighting E-14**
(2 lamps, 2 motors model / 1 lamp, 1 motor model)
- Easy-to-install system
- Dishwasher-washable aluminium mesh
- Finishing in Stainless steel or brown
- 120 mm outlet diameter

F WH





F 2260 WH, 2 motors
Code **02013005** - EAN Code **8422248049078**

F 2060 WH, 1 motor
Code **02011006** - EAN Code **8422248048057**

F 2050 WH, 1 motor
Code **02015005** - EAN Code **8422248049368**

- **Mechanical Control Panel**
- 3 extraction levels
- **2 motors**
 - Maximum air flow: **600m³/h**
 - Minimum sound power: **59dB(A)**, maximum: 65dB(A)
 - Maximum energy consumption: **2x90W**
 - Max. Pressure 190 Pa
- **1 motor**
 - Maximum air flow: **380m³/h**
 - Minimum sound power: **54dB(A)**, maximum: 60dB(A)
 - Maximum consumption of: **1x90W**
 - Max. Pressure 179Pa
- **Halogen lighting E-14**
(2 lamps, 2 motors model / 1 lamp, 1 motor model)
- Easy-to-install system
- Dishwasher-washable aluminium mesh
- Finished in White
- 120 mm outlet diameter






F 90



F 2290 X, 2 motors

Code **02014302** - EAN Code **8422248168946**

- **Sliding control panel**
- 3 extraction levels
- **2 motors**
 - Maximum air flow: **380m³/h**
 - Minimum sound power: **59dB(A)**, maximum: 65dB(A)
 - Maximum energy consumption: 2x125W
 - Max. Pressure 179 Pa
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable aluminium mesh
- Finished in Stainless steel
- 120 mm outlet diameter



P_1motor



P 3060 X

Code **02028305** - EAN Code **8422248058773**

P 3050 X

Code **02096301** - EAN Code **8422248058827**

P 3060 BK

Code **02028405** - EAN Code **8422248058803**

P 3060 WH

Code **02028005** - EAN Code **8422248058766**

P 3050 WH

Code **02096001** - EAN Code **8422248058810**

P 3050 BK

Code **02096401** - EAN Code **8422248058834**

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **380m³/h**
- Minimum sound power: **54dB(A)**, maximum: 60dB(A)
- maximum energy consumption 1x70W
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable cassette filters (**X models**)
- Dishwasher-washable aluminium mesh (**WH/BK models**)
- Finished in stainless steel
- Max. pressure 179 Pa
- 120mm outlet diameter

